

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME									
CENTRE NUMBER					CANDIDATE NUMBER				
MATHEMATICS	5					05	580/04	4, 05	81/04
Paper 4 (Extend	ed)								
SPECIMEN PAR	PER (New F	Format)							
						2 h	ours 3	30 mi	nutes
Candidates answ	wer on the (	Question Pa	aper.						
Additional Mater		lectronic ca eometrical			Mathematical tables Tracing paper (optio	· ·	al)		

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

All working must be clearly shown in the space below the question.

Marks will be given for working that shows that you know how to solve the problem even if you get the answer wrong.


Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer correct to three significant figures. Give answers in degrees correct to one decimal place. For  $\pi$ , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 130.



This document consists of **15** printed pages and **1** blank page.




1	(a)		e scale of a map is 1:20 000 000.	For Examiner's Use
		(i)	the map, the distance between Cairo and Addis Ababa is 12 cm. Calculate the distance, in kilometres, between Cairo and Addis Ababa.	
		(-)		
			Answer (a)(i) km [2]	
		(ii)	On the map the area of a desert region is 13 square centimetres.	
			Calculate the actual area of this desert region, in square kilometres.	
			Answer (a)(ii) $\operatorname{km}^2$ [2]	
	(b)	(i)	The actual distance between Cairo and Khartoum is 1580 km.	
			On a different map this distance is represented by 31.6 cm.	
			Calculate, in the form $1:n$ , the scale of this map.	
			Answer (b)(i) 1: [2]	
		(ii)	A plane flies the 1580 km from Cairo to Khartoum.	
			It departs from Cairo at 1155 and arrives in Khartoum at 1403.	
			Calculate the average speed of the plane, in kilometres per hour.	
			Answer (b)(ii) km/h [4]	


				;				
				l             	· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · · · · ·			;;				
(a) On the grid al	bove, dra	w and label	x and $y$ ax	es from -	-6 to 6.			[1]
(b) Draw triangle	e <i>ABC</i> wi	th $A$ (2,1), $B$	3 (3,3) and	<i>C</i> (5,1).				[1]
(c) Draw the refl	ection of	triangle AB	C in the lin	the $y = x$ .	Label this	$SA_1B_1C$		[2]
(d) Rotate triang	the $A_1B_1C$	$C_1$ about (0,0	) through 9	90° anti-o	lockwise	. Label	this $A_2B_2C_2$ .	[2]
							to triangle $A_2B_2C_2$ .	
Answer (e)	, C			Ĩ	U		0	[2]
(f) A transforma (i) Draw the						n. Label	1 this $A_3B_3C_{3.}$	[3]
		6						L- J
(ii) Describe	e fully the	e single tran	sformation	represer	ited by th	e matri	$\mathbf{x} \begin{pmatrix} 1 & 0 \\ -1 & 1 \end{pmatrix}.$	
Answer (f)(ii)								[2]
	matrix w ngle <i>ABC</i>		ents the tra	nsformat	ion that n	naps tri	iangle $A_3B_3C_3$	
			Ar	nswer (f)	(iii)			[2]


3

2

For Examiner's Use








6

4

0580/04a/SP/11

(d)	<i>BE</i> is parallel to <i>OC</i> and <i>DCE</i> is a straight line. Find, in its simplest form, $\overrightarrow{OE}$ in terms of <b>p</b> and <b>q</b> .		For Examiner's Use
(e)	Answer (d) <i>M</i> is the mid-point of <i>CE</i> . Find, in its simplest form, $\overrightarrow{OM}$ in terms of <b>p</b> and <b>q</b> .	[2]	
(f)	Answer (e) <i>O</i> is the origin of a co-ordinate grid. <i>OC</i> lies along the <i>x</i> -axis and $\mathbf{q} = \begin{pmatrix} 7 \\ 0 \end{pmatrix}$ . $(\overrightarrow{DB} \text{ is vertical and }  \overrightarrow{DB}  = 48.)$	[2]	
	(i) p,		
	(ii) $\overrightarrow{BC}$ .	[1]	
(g)	$\begin{pmatrix} & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & $	[2]	





А	packet of sweets contains chocolates and toffees.	For Examiner's
(a	) There are <i>x</i> chocolates which have a total mass of 105 grams.	Use
	Write down, in terms of x, the mean mass of a chocolate. $answer(a)$ $g$ [1]	
(b	) There are $x + 4$ toffees which have a total mass of 105 grams.	
	Write down, in terms of <i>x</i> , the mean mass of a toffee.	
	Answer (b) g [1]	
(c	) The difference between the two mean masses in <b>parts (a)</b> and <b>(b)</b> is 0.8 grams.	
	Write down an equation in x and show that it simplifies to $x^2 + 4x - 525 = 0.$ [4]	
(d	(i) Factorise $x^2 + 4x - 525$ .	
(u		
	Answer $(d)(i)$ [2]	
	(ii) Write down the solutions of $x^2 + 4x - 525 = 0$ .	
	Answer (d)(ii) $x =$ or [1]	
(e	) Write down the total number of sweets in the packet.	
	Answer (e) [1]	
(f	Find the mean mass of a sweet in the packet.	
	Answer (f) g [2]	

		° °	
	$0.5 < x \le 1$	27	
	$1 < x \le 1.5$	45	
	$1.5 < x \le 2$	50	
	$2 < x \le 2.5$	39	
	$2.5 < x \le 3$	21	
	$3 < x \leq 3.5$	7	
	$3.5 < x \le 4$	3	
	te down the modal interval. <i>Answ</i> culate an estimate of the mean.	er (a)	[1]
	Answ	er (b)	[4]
(a) Con	nplete the cumulative frequency table for this		
( <b>d</b> ) Usi	ng a scale of 4 cm to 1 litre of water on the h tical axis, draw the cumulative frequency gra	norizontal axis and 1 cm to 10 people on th	ie [5]
(e) Use	e your cumulative frequency graph to find		
(i)	the median, Answ	<i>er (e)</i> (i) litres	; [1]
(ii)	the 40 <sup>th</sup> percentile, Answ	<i>ver (e)</i> (ii)litres	s [1]
(iii)	the number of people who drink at least 2.6 Answ	b litres of water. <i>Per (e)</i> (iii)	[2]
	loctor recommends that a person drinks at least at percentage of these 200 people do not drin		
	Answ	ver (f)	[2]

7 Kristina asked 200 people how much water they drink in one day. The table shows her results.

Amount of water (*x* litres)

 $0 < x \le 0.5$ 


Number of people

8

For Examiner's Use

Amount of water (x litres)	<i>x</i> ≤ 0.5	$x \leq 1$	<i>x</i> ≤ 1.5	<i>x</i> ≤ 2	<i>x</i> ≤ 2.5	<i>x</i> ≤ 3	<i>x</i> ≤ 3.5	<i>x</i> ≤ 4
Cumulative frequency (Number of people)								
			· · · · · · · · · · · · · · · · · · ·					
			······································			· · · · · · · · · · · · · · · · · · ·		
			4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 4 - 4			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
			11111111111				*****	
		<u>+</u>	+					

0580/04a/SP/11




(c)	The water comes from a cylindrical tank. When 2 cubic metres of water leave the tank, the level of water in the tank goes down by 1.3 millimetres. Calculate the radius of the tank, in metres, correct to one decimal place.	For Examiner's Use
(d)	Answer (c) m [4]   When the channel is empty, its interior surface is repaired. This costs \$0.12 per square metre. The total cost is \$50.40.   Calculate the length, in metres, of the channel. Maswer (d) m [4]	

0580/04a/SP/11



[1]



The first three diagrams in a sequence are shown above. The diagrams are made up of dots and lines. Each line is one centimetre long.

- (a) Make a sketch of the next diagram in the sequence in the space above.
- (b) The table below shows some information about the diagrams.

						[	
Diagram		1	2	3	4		п
Area		1	4	9	16		x
Number of dots		4	9	16	р		у
Number of one centimetre lines		4	12	24	q		Ζ
i) Write down the values of $p$ and $q$ .							
i) Write down the values of $p$ and $q$ .	Answ	ver	<i>(b)</i> (i	) <i>p</i> =			
q, $p$ and $q$ .	Answ	ver	<i>(b)</i> (i	) p = q =			

Answer (b)(ii)  $x = ______$  $y = _____$  $z = _____[4]$ 

## (c) The total number of one centimetre lines in the first *n* diagrams is given by the expression

$$\frac{2}{3}n^3 + fn^2 + gn.$$

(i) Use 
$$n = 1$$
 in this expression to show that  $f + g = \frac{10}{3}$ . [1]

(ii) Use 
$$n = 2$$
 in this expression to show that  $4f + 2g = \frac{32}{3}$ . [2]

(iii) Find the values of f and g.

(iv) Find the total number of one centimetre lines in the first 10 diagrams.

Answer (c)(iv) [1]

Answer (c)(iii) f =

*g* = [3]

For Examiner's Use

## **BLANK PAGE**

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.